


MORTALITY OVERVIEW

Over the last 2 years, preventable hospital diseases killed 723% more men than actual wounds from war...

Causes of Mortality in the East Army

Latest 2 Years Ending March 1885, Number of Deaths



Source: "Diagram of the causes of mortality in the army in the East" (1858) by Florence Nightingale


Proprietary and confidential — do not distribute

MORTALITY OVERVIEW

But improved sanitary conditions beginning in March 1855 drastically improved patient outcomes and saved lives.

Causes of Mortality in the East Army

Latest 2 Years Ending March 1885, Number of Deaths




Source: "Diagram of the causes of mortality in the army in the East" (1858) by Florence Nightingale


Proprietary and confidential — do not distribute

Simple Improvements such as Hand Washing, Waste disposal, and Clean Linens
 Saved Thousands of Lives by Preventing the Spread of Infection.

2.
 APRIL 1855 TO MARCH 1856.



1.
 APRIL 1854 TO MARCH 1855.



The Areas of the blue, red, & black wedges are each measured from the centre as the common vertex.
 The blue wedges measured from the centre of the circle represent area for area the deaths from Preventible or Mitigable Zymotic diseases, the red wedges measured from the centre the deaths from wounds; & the black wedges measured from the centre the deaths from all other causes.
 The black line across the red triangle in Nov^r 1854 marks the boundary of the deaths from all other causes during the month.
 In October 1854, & April 1855, the black area coincides with the red; in January & February 1855, the blue coincides with the black.
 The entire areas may be compared by following the blue, the red & the black lines enclosing them.